

The Pedigree of Gate international

As an outcome of shared vision and targets, Gate international has made a major joint ventures with many prestigious oil service companies, which brought up on the table a huge contributions, and allows for an exponential growth, And securing a cash flow for a potential expansion and meeting with all of the market demands.

SERVICES

While **Gate international** determining to provide health, safety and environmental preservation, we are offering an Onshore/ Offshore drilling and work-over services with excellence of operational team history, we also provide a spectrum of oil service supply, and innovative solutions.

Gate international FLEET

Onshore

Gate international Company provides drilling services to the energy industry in Libya, with capability of 17 onshore drilling and work over rigs ranging from 750hp – 2000hp operated on contract basis.

Offshore

Gate international also providing the expertise and drilling offshore with semisubmersible/Jack up rigs total of three units, ready to go on contract basis, in addition to various innovation marine solution





For additional information please contact:



Tineary international for Oll & Gas

Hai Alandios, Tripoli - Libya

C 0912000212 - 0912127478 info@tineary.com

3 www.tineary.com

Hydraulic Lift Triple Slingshot, VFD, 2000 HP GENERAL

Year Of Manufacture Design **Estimated Drilling**

2008 Hydraulic Lift Triple

6096m (20000ft) with 5" Drill pipe Depth Rating

Camp Capacity 133 beds **Estimated Total Rig** +/- 150 truck loads

Move Loads

Type

Type

MAST LTI Sling Shot Hydraulic Lift Triple

Height 44.8 m (147 ft.) 1.000,000 lbs With 12 Lines

Static Hook load Capacity

600,000 lbs. Setback Capacity

SUBSTRUCTURE Type LTI Rotary beam capacity 1,000,000 lbs Height Of Drill Floor 9.14 m Clear height, rotary 8.15 m

beam to ground Setback capacity 600,000 lbs

DRAWWORKS

LTI DW 1000 **Power Rating** 2000 HP **Drill Line Diameter** 1 1/2 in

Auxiliary Brake N/A for AC Drawworks TRAVELING BLOCK

LTI TB500

Capacity 1.000,000 lbs

TOP DRIVE LTI ,DDTD 500 Type Capacity 500 sh ton

Working Pressure 5000 psi **Continuous Torque** 42,500 @ 115 rpm

Motor Electric **Output Power** 930 HP

ROTARY TABLE LTI L-375 Type Size & Capacity 37 1/4", 650 Sh Ton

POWER PLANT Engines 5 X CAT3512C, 7380HP Total power

Generators 5 X 1101 KW- Kato VFD LTI Power Systems - VFD

WELL CONTROL Annular BOP 10K, 13-5/8" Hydril

2K, 21 1/3 " Hydril Single Ram BOP 10K, 13-5/8" Cameron Type U. Double Ram BOP 10K, 13-5/8" Cameron Type U.

10K, 13 5/8" Axon Type U Choke Manifold 10K, 4-1/16", NOV Kill Manifold 10K. 4-1/16", NOV

BOP Control 3K, CAD Control System, 350 gal. reservoir

> MUD SYSTEM 3 × 5K, 1600 HP, LTI WH 1612

239 m3

Mud Pumps Total Mud System Capacity

Drill collars 4 3/4"

Active Mud Volume Reserve Mud Volume

239 m 4 x LTI Series 5000BX4 Linear Motion Shale Shakers Desander FLSmidth Krebs 4" x 3 cones

Desilter FLSmidth Krebs 2" x 14 cones CAMP

Main camp capacity 109 beds Fly camp capacity 24 beds

TUBULAR Drill pipes 5" 720 joints, G-105 Drill pipes 3-1/4" 164 joints, G-105 Drill pipes 2-7/8" 165 joints, S-135 Drill collars 9 1/2" 6 jts. Drill collars 8 1/4" 19 jts Drill collars 6 1/2° 21 jts

12 jts



For additional Information please contact:

Tineary International for Oll & Gas

P Hai Alandlos, Tripoli - Libya C 0912000212 - 0912127478

M info@tineary.com www.tineary.com

NOV Ideal, Triple, VFD, 1500 HP GENERAL

Year Of Manufacture

Design **Estimated Drilling Depth Rating Camp Capacity**

Estimated Total Rig Move Loads

2007 NOV Ideal, Triple 4000m with 5" Drill pipe

118 beds +/- 130 truck loads

MAST NOV, Ideal Triple Type Height 43.2 m (142 ft.) Static Hook load 750,000 lbs With 12 Lines

Capacity

Setback Capacity 500,000 lbs.

SUBSTRUCTURE

Type NOV Ideal Rotary beam capacity 750,000 lbs Height Of Drill Floor 7.62 m Clear height, rotary 6.49 m beam to ground

Setback capacity 500,000 lbs

DRAWWORKS

Type NOV, SSGD360 **Power Rating** 1500 HP **Drill Line Diameter** 1 3/8 in

Auxiliary Brake N/A applicable for AC

TRAVELING BLOCK Type NOV SL-450-5 Capacity 997,000 lbs

TOP DRIVE

NOV TDS 11SA Capacity 500 sh ton **Working Pressure** 5000 psi

Continuous Torque 37,500ftlbs @ 110 rpm

Motor Electric **Output Power** 800 HP

Type Size & Capacity

Engines

VFD

ROTARY TABLE NOV.ZP- 375 37 1/4", 650 Sh Ton

POWER PLANT

3 X MTU4000, 5565 HP Total power Generators 3 X 1322KW - Caterpillar/SR48 NOV system with ABB VFD

WELL CONTROL

Annular BOP Double Ram BOP Choke Manifold Kill Manifold **BOP Control**

5K, 13-5/8" Hydril 10K, 13-5/8" Cameron Type U 10K, 4-1/16", Jiangsu Xinde Shaffer 10K, 4-1/16", Jiangsu Xinde Shaffer 3K, SARA, 350 gal. reservoir

2 × 5K, 1600 HP, NOV 12-P-160

MUD SYSTEM

Mud Pumps **Total Mud System** Capacity Active Mud Volume

201 m3 Reserve Mud Volume 294 m3

Shale Shakers 3 x Brandt, King Cobra Linear Motion Desander Brandt 10" x 3 cones

Desilter Brandt 4" x 20 cones

> CAMP 106 beds

495 m³

Main camp capacity Fly camp capacity 12 beds

TUBULAR 433 joints G-105 Drill pipes 5" Drill pipes 3-1/2" 462 joints G-105 Drill pipes 2-7/8" As Per Client's Request

Drill collars 9 1/2" 6 its. Drill collars 8 1/4" 20 jts Drill collars 6 1/2" 24 jts Drill collars 43/4" 36 jts

Heavy weight DPs 5" As Per Client's Request Heavy weight DPs 3 As Per Client's Request

1/2"

At Davisian data 15 Dec 2019



For additional information please contact:



Tineary International for Oil & Gas

Q Hai Alandios, Tripoli - Libya

6 0912000212 - 0912127478

Minfo@tineary.com

www.tineary.com

NOV Ideal, Triple, VFD, 1500 HP GENERAL

2007

Year Of Manufacture

Design NOV Ideal , Triple
Estimated Drilling 4000m with 5" Drill pipe

Depth Rating
Camp Capacity

Camp Capacity 110 beds Estimated Total Rig +/- 130 truck loads

Move Loads

Static Hook load Capacity

Setback Capacity 500,000 lbs.

SUBSTRUCTURE NOV Ideal

Rotary beam capacity 750,000 lbs Height Of Drill Floor 7.62 m Clear height, rotary 6.49 m

beam to ground Setback capacity

Setback capacity 500,000 lbs

 DRAWWORKS

 Type
 NOV, SSGD360

 Power Rating
 1500 HP

Drill Line Diameter 13/8 in

Auxiliary Brake N/A applicable for AC

NOV SL-450-5

Type NOV SL-450-5 Capacity 997,000 lbs

TOP DRIVE

 Type
 NOV TDS 11SA

 Capacity
 500 sh ton

 Working Pressure
 5000 psi

Continuous Torque 37,500ftlbs @ 110 rpm

Motor Electric
Output Power 800 HP

 ROTARY TABLE

 Type
 NOV, ZP-375

 Size & Capacity
 37 ½", 650 Sh Ton

 POWER PLANT

 Engines
 3 X MTU4000, 5565 HP Total power

 Generators
 3 X 1322KW - Caterpillar/SR48

VFD NOV system with ABB VFD

MUD SYSTEM
d Pumps 2 × 5K, 1600 HP, NOV 12-P-160

Mud Pumps Total Mud System Capacity

Active Mud Volume 205 m3 Reserve Mud Volume 295 m³

Shale Shakers 3 x Brandt, King Cobra Linear Motion

500 m³

Mud Cleaner Brandt King Cobra

Desander Brandt 10" x 3 cones

Desilter Brandt 4" x 20 cones

CAMP
Main camp capacity 99 beds

Fly camp capacity 11 beds

 Drill pipes 5"
 451 joints G-105

 Drill pipes 3-X"
 388 joints G-105

 Drill pipes 2-7/8"
 As Per Client's Request

 Drill collars 9 1/2"
 7 jts.

 Drill collars 8 1/4"
 18 its

Drill collars 8 1/4" 18 jts
Drill collars 6 1/2" 24 jts
Drill collars 4 3/4" 25 jts
Hanne weight Drs 5" As Rec

Heavy weight DPs 5" As Per Client's Request Heavy weight DPs 3 As Per Client's Request

1/2



For additional information please contact:

5

Tineary International for Oil & Gas

Q Hai Alandlos, Tripoli - Libya

C 0912000212 - 0912127478

info@tineary.com

www.tineary.com

NOV Ideal, Triple, SCR, 1500 HP

Year Of Manufacture 2007 Design NOV

Design
Estimated Drilling
Depth Rating
Camp Capacity
Estimated Total Rig

Move Loads

NOV Ideal , Triple 4000m with 5" Drill pipe

115 beds

Rig +/- 130 truck loads

MAST

 Type
 NOV, ideal Triple

 Height
 43.2 m (142 ft.)

 Static Hook load
 750,000 lbs With 12 Lines

Capacity
Setback Capacity 500,000 lbs.

SUBSTRUCTURE

Type NOV Ideal
Rotary beam capacity 750,000 lbs
Height Of Drill Floor 7.62 m
Clear height, rotary beam to ground
Setback capacity 500,000 lbs

DRAWWORKS NOV. JC-50 D

 Type
 NOV, JC-50 D

 Power Rating
 1500 HP

 Drill Line Diameter
 1 3/8 in

 Auxiliary Brake
 NOV EDS, Wichita

TRAVELING BLOCK
Type NOV SL-450-5

Capacity 997,000 lbs

TOP DRIVE

 Type
 NOV TDS 11SA

 Capacity
 500 sh ton

 Working Pressure
 5000 psi

 Continuous Torque
 37,500ftlbs @ 110 rpm

Motor Electric
Output Power 800 HP

 ROTARY TABLE

 Type
 NOV, ZP- 375

 Size & Capacity
 37 %", 650 Sh Ton

POWER PLANT

 Engines
 4 X CAT D35128, 5904HP Total power

 Generators
 4 X 995KW - Caterpilliar/SR4B

 SCR
 NOV-Roshill 1400 SCR

WELL CONTROL
Annular BOP 5K, 13-5/8" Axon

 Double Ram BOP
 10K, 13-5/8" Cameron Type U.

 Choke Manifold
 10K, 4-1/16", Jiangsu Xinde

 Kill Manifold
 10K, 4-1/16", Jiangsu Xinde

 BOP Control
 3K, SARA, 350 gal. reservoir

511 m³

MUD SYSTEM

2 × 5K, 1600 HP, NOV 12-P-160

Mud Pumps Total Mud System Capacity

Drill collars 43/4"

Active Mud Volume 216 m3
Reserve Mud Volume 385 m³

 Reserve Mud Volume
 385 m³

 Desander
 NOV 10" x 3 cones

 Desilter
 NOV 4" x 20 cones

Shale Shakers 3 x Brandt, King Cobra Linear Motion (3rd is

mud cleaner)

CAMP ty 104 beds

Main camp capacity 104 beds Fly camp capacity 11 beds

TUBULAR

 Drill pipes 5"
 420 joints G-105, 119 joints S-135

 Drill pipes 3-½"
 937 joints G-105, 52 joints S-135

 Drill collars 9 1/2"
 4 jts.

 Drill collars 8 1/4"
 15 jts

 Drill collars 6 1/2"
 22 jts

48 jts

...



For additional Information please contact:



C 0912000212 - 0912127478

info@tineary.com

ZDPE Sling Shot, Triple, SCR/VFD, 2000 HP

Year Of Manufacture

Design **Estimated Drilling Depth Rating**

Camp Capacity

Estimated Total Rig Move Loads

ZDPE Sling Shot, Triple 6000m with 5" Drill pipe

150 beds

	MAST		
DPF	Triple		

Height Static Hook load

Type

Type

Capacity **Setback Capacity**

560,000 lbs.

SUBSTRUCTURE

Type Rotary beam capacity Height Of Drill Floor Clear height, rotary beam to ground

1.00,000 lbs 10.5 m 8.9 m

Setback capacity 560,000 lbs

DRAWWORKS Bomco JC-70DB AC

Power Rating Drill Line Diameter Auxiliary Brake

2000 HP 1 % in

N/A for AC Drawworks

TRAVELING BLOCK Lanzou YC-450

Type 1,000,000 lbs Capacity

TOP DRIVE

Type **NOV TDS 11SA** Capacity 500 sh ton **Working Pressure** 5000 psi 37,500ftlbs @ 110 rpm

Continuous Torque Motor Electric

Output Power 800 HP

Size & Capacity

Engines

SCR

Generators

Annular BOP

Single Ram BOP

Double Ram BOP

Choke Manifold

Kill Manifold

BOP Control

Capacity

Tineary International for Oll & Gas

Q Hai Alandlos, Tripoli - Libya

www.tineary.com

GENERAL

+/- 150 truck loads

Mud Pumps	
Total Mud System	

47.8 m (157 ft.) 1,000,000 lbs With 12 Lines

Shale Shakers

Active Mud Volume 328 m3 Reserve Mud Volume 265 m3 4 x Brandt, King Cobra Linear Motion

ROTARY TABLE

37 %", 650 Sh Ton

POWER PLANT

3 X Caterpillar 3516B, 7800HP Total power

NOV.ZP- 375

1 X Cat SR5

SCR/VFD

1 X Cat SR4B HV

WELL CONTROL

2K, 21 1/2 " Hydril

10K, 4-1/16", ECC

10K, 4-1/16", ECC

MUD SYSTEM

gal, reservoir

594 m³

25 beds

10K, 13-5/8" Hydril

1 X Marathon 1020FDSS655

10 K, 13-5/8" Cameron U Type

10K, 13-5/8" Cameron U Type

3 × 5K, 1600 HP, Bomco F1600

3K, CAD Control System/Top oil field, 350

2K, 21 ½ "Cameron U Type

Desander Brandt 12" x 3 cones Brandt 4" x 24 cones Desilter

Fly camp capacity

CAMP Main camp capacity 125 beds

TUBULAR

Drill pipes 5" 635 joints G-105 Drill pipes 3-1/2" 425 joints G-105 Drill pipes 2-7/8" 187 joints 5-135 Drill collars 9 1/2" 14 jts. Drill collars 8 1/4" 30 its Drill collars 63/4" 21 jts Drill collars 43/4" 21 jts Drill collars 3 1/8" 21 jts



For additional information please contact:



Tineary international for Oll & Gas

P Hai Alandlos, Tripoli - Libya C 0912000212 - 0912127478

info@tineary.com

@ www.tineary.com

Dreco, Trailer Mounted Telescopic Mast, SCR, 750

GENERAL Year Of Manufacture Design **Estimated Drilling** Depth Rating **Camp Capacity**

Move Loads

Dreco, Trailer Mounted Telescopic Mast 3048 m with 5" Drill pipe

As Per Client's Request **Estimated Total Rig** +/- 80 truck loads

MAST Type Dreco, Telescopic Mast Height 34.13 m (112 ft.) Static Hook load 428,000 lbs Capacity **Setback Capacity** 300,000 lbs.

SUBSTRUCTURE Type Box Type Rotary beam capacity 428,000 lbs Height Of Drill Floor 8.59 m Clear height, rotary 6.7 m beam to ground Setback capacity 300,000 lbs

DRAWWORKS

Kremco 750 Type **Power Rating** 900 HP **Drill Line Diameter** 1 1/8 in **Auxiliary Brake** Dretech 7RD150

TRAVELING BLOCK

Capacity 400,000 lbs

> TOP DRIVE N/A

Capacity **Working Pressure Continuous Torque**

Motor **Output Power**

Type

ROTARY TABLE Type Lanzhou Zhongshi ZP-275 Size & Capacity 27 1/2",

POWER PLANT Engines 4 X Caterpillar D 399, 5000 HP Total power Generators 4 X 1030 KW - Kato /1287

WELL CONTROL Annular BOP 2K, 21 1/4", Hydril GK Single Ram BOP 5K, 13 5/8" Cameron Type U Diverter 500 psi, 29-1/2" Hydril MSP **BOP Control** 3K, CAD Oilfield SB420-15SB5K

MUD SYSTEM **Mud Pumps** 2x 5K psi , 1000 HP, NOV 9-P-100 Total Mud System

Capacity Active Mud Volume 161 m3 Reserve Mud Volume 64 m3

Desilter

1/2"

Shale Shakers 2 x Brandt, Derrick FLC514, Linear Motion Desnader Derrick 12" x 3 cones

Demco

CAMP Main camp capacity As Per Client's Request As Per Client's Request Fly camp capacity TUBULAR Drill pipes 5 1/2" As Per Client's Request Drill pipes 4" As Per Client's Request Drill pipes 2 3/8" As Per Client's Request Drill collars 9 1/2" As Per Client's Request Drill collars 8 1/2" As Per Client's Request Drill collars 6 1/2" As Per Client's Request Drill collars 4 %" As Per Client's Request Heavy weight DPs 5" As Per Client's Request Heavy weight DPs 3 As Per Client's Request

Gate Partners

Natreat Petroleum and Environmental Services

NATREAT provides Coiled tubing, with various associated applications, Pumping, Stimulation, Nitrogen lifting, scale removal, well circulation, through tubing plug setting, milling & clean-out, utilizing its most updated units, treatment designs and chemical systems.

NATREAT employs complete data acquisition, real-time fatigue monitoring and tubing forces modelling software packages, to predict coiled tubing string performance and fluid behavior at modelled down hole well conditions, and to monitor and update the working coiled tubing string history and integrity



Solutions

- Acidizing / Fracturing / Nitrogen Kick Off.
- Sand or fill clean-out
- Pumping cement slurry plugs
- Scale removal (Hydro-Jetting) modelling software packages
- Fishing or retrieving plugs / packers
- Drilling / milling (hard scale or bridge plugs)
- Tubular cutter

- Permanent coiled tubing installation (completion, velocity string)
- Selective zone isolation and setting packers
- E-Line logging and perforation applications
- Complete data acquisition, real-time fatigue monitoring and tubing forces
- Fiber optic coiled tubing

Pumping & Stimulation

NATREAT also offers matrix stimulation services and treatments to restore and enhance well productivity in all formations. Acid Diversion System is a revolutionary diverter technology provided by us to help the client achieving optimum results from acidizing treatments. They use different acid diverting systems with hydrochloric acid (HCL) to stimulate production from Carbonates formations and Hydrofluoric acid (HF) from sandstone formations.



Well stimulation is commonly applied to boost oil or gas production and, consequently, revenues therefrom.

Nitrogen Services

NATREAT provides Nitrogen services using latest Nitrogen pumping units, which adopt the advanced data acquisition system to achieve real-time monitoring and recording of related parameters such as pressure, Nitrogen flow rate, Nitrogen discharge temperature and the temperature of vaporizing system, etc.

It is equipped with the over pressure and ultra-low temperature automatic protection systems to ensure the safe and reliable operation of the unit.

This Unit is applicable for fluid draining operation of low production gas well and deep well, sand removal, acidizing, work-over, cementing and other oilfield operation such as Nitrogen gas lift, gas mixed acidizing, Nitrogen positive- pressure perforation, Nitrogen testing and Nitrogen replacement.



Well Testing Services

NATREAT provides surface well testing packages with different pressure rate in addition to EPF includes all size of separators with, pumps, Tanks, chemical injection pumps & Heaters and all other related accessories based on client request.

Using mobile testing packages efficiently brings well online and optimize production-planning decisions with accurate real-time data, for exploration and appraisal operations through development and production campaigns.



Ayadsons® Group for Supplies and Services

We are very proud that we have this partnership with such a company specialized in the trading of high-quality engineering products used in the Oil & Gas,

Petrochemical, Power and Infrastructural fields. The Group is an ISO 9001 certified, managed by a group of expertise and qualified specialists whom are having

a long profound experience in various engineering project related activities.





















Their Products & Services

Piping Material

Valves

Cathodic Protection Material & Services

Implementation of Technological System

Heat Exchangers & Coolers

Generators

Steam Traps & Tracing Equipments

Different types of Fluid Magnetic level Gauges

Pumping Units & Well Testing Equipment

High –value Engineering, Welding & Fabrication Services

Design & Engineering

Certification & Inspection Services

Fire Engineering & Consultancy Services

Elliptical Heads (Caps / Spherical ends)

Heat Treatment Material

Spherical Tanks & Pressure Vessels

Instrumentation

Heavy lifting Services

Ayadsons® Group for Supplies and Services is exclusive franchiser for so many suppliers such as:-

Alco Valves Group specialized in the following:-

- Instrumentation valves.
- Double block & bleed valves.
- Subsea valves.
- Process valves.
- Instrumentation valves.
- Instrumentation fittings



Ancoferwaldram Steel Plates

Whatever kind of steel plate you need, Steel plates we have exactly what you are looking for.

Every conceivable grade, any size, any thickness. Usually ex stock. Unusual specifications or heavy weights are delivered newly rolled.



BS&B Safety Systems

Our experienced engineering staff and certified craftsmen assure you of are liable, cost effective, technologically advanced, code compliant product as follows:

- Rupture Disks (Bursting Discs).
- Graphite Disks.
- Safety Heads.
- Explosion Vents.
- Sensors & Monitors.
- Buckling Pin Relief Valves.



Corrosion Technology Services

CTS is a market leader in the provision of corrosion prevention solutions, particularly cathodic protection, within the Oil & Gas industries as follows:

Oil & Gas Pipelines: Transmission Facilities, Tank Farms. Oil & Gas Production: Refineries, Bulk Handling Plants.

Power Plants: Underground Piping Networks, Ground Grids.

Pipeline Corridors Offshore: Drilling Rigs, Offshore Pipelines, Marine Terminals.



FluoroSeal Specialty Valves

Specialize in the manufacturing and servicing of a full range of industrial and custom valves as follows:

Sleeved	Plug	Valves
---------	------	--------

- Severe Service (FE) Plug Valves
- □ Special Service Plug Valves
- □ Lined Plug Valves
- ☐ HF Alkylation Plug Valves
- □ Butterfly Valves
- ☐ High Performance Butterfly Valves
- Pneumatic Actuators
- Diaphragm Actuator



GOODWIN International

Goodwin International Limited, world renowned for and the market leader in the design manufacture and supply of:

- Dual plate check valve.
- Axial Check Valve.
- Axial Control and isolation valves.



Goriziani Group SPA

Goriziani has been operating in the Oil & Gas sector since the 80s, when it provided maintenance and overhaul services of equipment used for pipeline construction.

Nowadays, our multi-disciplined engineers deal with designing, planning, constructing, and commissioning equipment and plants of the Oil and Gas Sector, thus they accomplish turnkey projects worldwide.



Generon IGS

Global Technology Company specialize in design, manufacture and supply of:

- Oxygen Generators
- Nitrogen Generators.



IOORS in collaboration with its Business Partners to be able to provide to its Clients and Customers Service:

Marine Studies.

JRE PRIVATE LIMITED

JRE Ltd is a leading manufacturer of Flexible Hose Assemblies and to provide services to every Industry where flexible connections are required.

- Flexible hoses and couplings.
- Various specialized equipment for the Petrochemical Industry.







KÖNIG + CO

Kdnig + CO using their experience in materials and forming to provide their partners with custom-built solutions.

Products:

- Several kinds of Heads (i.e.: Elliptical Heads) Cones / Multi part heads.
- Special pressed parts.

Kürvers Piping

Kurvers Piping: is an international group operating as specialists for pipeline projects. Products:

- Pipes
- Plates, Beams and Profiles
- Fittings, Flanges, Gaskets, Bolts, Nuts, Weld Consumables Ball, Gate, globe, check, plug, butterfly, wafer check and check swing valves.
- Strainers and filters.
- Steam traps.

Metal Samples

Metal Sample: supplied products and services to chemical processing, water treating, and petroleum industries around the world.

Our products:

Corrosion monitoring system.

LOINTEK

LOINTEK: has a long experience with the design and manufacturing of critical items for high pressure/temperature processes.

Our products:

- Pressure vessels, reactors and columns.
- Steam Generation Systems.
- Feed water preheaters of High Pressure and Low Pressure
- Surface Condensers
- Tube -shell exchangers with high performance
- Oil to Salt Heat Exchangers
- Boilers









Metalfar

Metalfar is known to be one of the most efficient and expanding Company in the steel industry and it is approved by all major Chemical-Petro chemical- Oil companies. Our products:

- FORGED STEEL FLANGES:
- Long Welding / Welding Neck Slip On, Blind
- Screwed
- Socket Weld
- Lap Joint Reducing Orifice Flanges

NoReVa

Noreva has developed an enviable reputation for quality and reliability of product at internationally competitive prices.

Products:

- Nozzle check valves.
- Solid Disc.
- Ring Disc.

O.M.S. Saleri

O.M.S Saleri has dedicated itself to providing clients with the most up-to-date, advanced industrial technology.

Products:

• Complete range of ball valves

OMSP Macola

OMSP their aim is to win world competitions in road transportation of compressed, liquefied and cryogenic gases. Ensuring safety, quality and reliability, our vehicles maintain efficiency and value over the time to overcome any challenge.

- Tank Vehicle.
- Self-supporting tank- semitrailers
- Tank trailers
- Tank equipment on chassis, fixed or demountable









Orion Valves

Orion Valves presents its product line of Steel Valves incorporating new and revised designs, specially engineered to meet the exacting demands and requirements of the petrochemical industry.

Products:

- Globe Valves.
- Gate Valves.
- Pipe line Valves.

Peerless

Peerless part of Ceco Group specialize for the following: Designing and supplying a wide range of compact, engineered, high-efficiency, processing, separation and filtration equipment.

CECO Peerless

Raccortubi Group

Raccortubi Manufacturer, stockholder and supplier of piping material for critical applications such as chemical and petrochemical plants, and offshore platforms

Products:

- Butt weld fittings from 2/1" to 56". And integrate its offer by supplying stainless steel, duplex, super duplex, 6mo, nickel- alloy and titanium
- Tubes and flanges both from stock and for special requests.

Sarens

Sarens is worldwide leader and reference in heavy lifting and engineered transport.

- Several kinds of Cranes.
- Trailers & transport management







THERMAL HIRE FALKIRK

Thermal Hire specialized in the manufacture and hire of gas and oil fired combustion equipment.

Products:

- Heat Treatment Controls Temperature Control
- Temperature Measuring Equipment
- Heating Elements Power Cables Thermal Insulation

TR – Impianti

TR-Impianti is an Italian-based company with strong expertise in the implementation of technological systems.

Products:

- Assembling of Skids & Packages.
- Assembling of Well Head Control Panels On-Site erection activities
- Maintenance

Vulcanic

Vulcanic offers a wide range of solutions for electrical industrial heating and cooling (of liquids, gas and solids) including temperature measurement, control and power supply.

Products:

- Heating elements.
- Thermostats, temperature sensors.
- Temperature control unit for water or oil medium, hot, hot/cold and-hot/cool, air conditioners for electrical cabinets, heat exchangers air/water, chillers.

ZAVE.RO.

ZANE.RO is manufacturer for ball valves.

- Top Entry Ball Valve.
- Forged Trunnion Ball Valve Subsea Ball Valve.
- Under Ground Ball Valve.









Operational Excellence

Tineary/Gate international is striving to deliver operational excellence to our clients, personnel and stakeholders by:

Being our customers' partners -1

Tineary/Gate international established its internal end of well reporting system covering both drilling and work over units, providing performance analysis and tangible results to our clients allowing them to see and feel the rig Performance and flat time analysis for further improvements and sharing of lessons learnt across Tineary/Gate international fleet.

Always staying tuned to what's new -2

Tineary/Gate international is interested in edge technology and keeping up with the new technologies and its applications onboard our units to provide crews performance analysis and comparison including but not limited to tripping speed and . well performance by section by crews

360° Client Feedback -3

Tineary/Gate international care to identify the problem area or weakness pointed out by our client through the 3600 Feedback mechanism which enables Tineary/Gate international to improve its units' performance on a monthly basis.

4- Daily Client Meetings

To discuss the on-going operations and cover all Its needs (Equipment, Material, Personnel).

5- Setting the internal Fleet Competition Program

Rig of the month/Rig of the year, thus to raise the bar on safety & performance among the units which leads to improved performance fleet wide.

6- Re-enforce The PMS System

By Adding Service Ticketing System (S.T.S) to monitor equipment's routine checks on daily basis.

Operational Excellence

Distinctive quality

Our management system is a set of integrated and consistent standards, processes and procedures that reduce risk, enable continuous improvement and increase positive business results by reducing risk, enhancing safety and reliability, regulatory compliance and improving environmental performance. It is the right set of processes, implemented with accountability to guide us on our journey towards operational excellence.



OUR OPERATIONAL TEAM

IS INTERNATIONALLY CERTIFIED
TO GUARANTEE WORK ON
OFFSHORE & ONSHORE SAFELY
AND SECURELY



Training and Development

Gate international human capital plays vital role for the company operational, our growth ambitions demands that Gate international human capital has a structure & values that make us fit to survive in such harsh environment, maintaining safety culture & the ability to innovate to be in content with our clients' objectives, establishing the idea that our human capital is our most important driven asset.

We recognize that lifelong learners help us achieve our business values. In order to make that possible Tineary/Gate international commitment to train & develop its human capital provides a competitive advantage in the marketplace and prepares them to excel in their future careers. Diversity of training programs combined with on the job experience are designed to meet Tineary/Gate international human capital personal & professional development plans. Tineary/Gate international learning & development pillars work around providing world class technical, Safety & Soft skills trainings. In addition, we offer a wide portfolio of programs to help Tineary/Gate international human capital to maintain a technical edge & contribute towards our track record of outstanding operational excellence.



Innovation...MIND DRILLERS

Customer's 1st Choice

Gate international has a unique go-to market model with the following key differentiators:

- •Client oriented approach (Client focused).
- •Flexible approach to face market conditions while maintaining high quality and performance through its Integrated Management System (IMS) and efficient financial and operational structure models.
- •Courage to penetrate new markets in a mature and well-studied model.
- •Diversified pool of calibers and experience from varied backgrounds.

Through our distinctive methodology, Gate international tends to turn the familiar harsh work environment of drilling operations into a friendlier, hospitable, green and encouraging work environment that helps the employees to give their best in what they do.


Innovation... MINDDRILLERS

Projects Engineering

When great strides in engineering are made, this represents ingenious, innovative, inventive activity; but even in more pedestrian situations where rational and orderly approaches are possible, the conceptual stage is always present.

The role of the project engineering in Gate international can often be described as that of a liaison between the project manager and the technical disciplines involved in a project.

One of Gate international unique differentiators and values to its customers is that it has started in the oil and gas business as a projects company; which allowed Gate international to be more flexible meeting the customers' expectations and transform them into solid results on ground.



Gate international Innovative solution

Aside from the drilling oil services, Gate international is providing also an innovative solutions in many aspects of oil related services, including:

- Industrial Wastewater Treatment.
- I. Oily Wastewater Treatment
- II. Phenolic Compounds Removal
- III. Produced Water Treatment
- 2. Petroleum Lagoons Treatment & Recovery.
- 3. Desludging & Cleaning Crude Storage Tanks.
- 4. Construction & Maintenance for Crude Storage Tanks.
- 5. Construction & Maintenance for Petroleum Pipelines.
- 6 Fabrication & Maintenance For Separators Systems
- 7. Fabrication & Maintenance For Skid Mounted Vacuum Units.
- 8. Fabrication & Maintenance for Heat Exchangers.
- 9 Mobile Early Production Facility.
- 10. Maintenance of Petroleum Refinery Furnace.
- 11. Oil Base Mud Cuttings Treatment Bioremediation.
- 12. Soil Borings & Geological Surveys.

